


Dear Partners:

We have a successful show in “ Touch Taiwan 2015” dated on Aug. 26 (Wed)~Aug. 28 (Fri). The topic of this exhibition is “ Living, Touch, Display”. The visitors are highly interested with PTC’s touch solution (OGS, inner STN touch, touch pad) used in white goods, control key pad, Security application, etc.




- COG LCM with Inner touch function.  
As indicated in below spec. and drawing, it's a single COG monochrome LCM with icon segment display and Inner touch function. Please link to the following website for demonstration. Youtube : <https://youtu.be/eRDkUkYaOw>


<b>Size</b>	<b>3.83"</b>
<b>Part No.</b>	D-IPC30753F-0-Q
<b>The structure of CTP</b>	Mono Inner LCD
<b>Sensor Pattern</b>	Touch Key
<b>LCD Resolution / Touch Key</b>	39 Segment + 12 Touch Key
<b>Display Design Max ability</b>	40 Segment + 16 Touch Key
<b>Input type</b>	One Finger
<b>Sensor Chip</b>	LCD/Touch Key all in one
<b>Interface</b>	SPI
<b>Application</b>	Industrial equipment Home appliance



- 2.8" high brightness TFT, 700 cd/m<sup>2</sup> typical with 80mA current consumption. Please check with your sales contact for detail information. **PH240320T063-LZG01**



- 4.3" TFT with 3mm height, compatible with Innolux module AT043TN25. Please check with your sales contact for detail information. **PH480272T006-IBA02**



- 4.3" TFT High Brightness  
Please refer to the following as revised brightness specification of high brightness 4.3" display. The price remains same as indicated in the price list. Please check with your sales contact if you need updated specification.

Size	Part number	Original brightness		Updated brightness		Remarks
		Min.	Typical	Min.	Typical	
4.3"	PH480272T-006-I01Q	260	320			
	PH480272T-006-I-Q	200	240			RTP
	PH480272T-006-I16Q	250	300			CTP-I2C
	PH480272T-006-I13Q	500	540	500	600	Sunlight readable.
	PH480272T006-IBA	400	500	550	650	
	PH480272T006-IBB	400	500			RTP
	PH480272T006-IBC	340	425	450	550	CTP-I2C
	PH480272T-006-I17Q	500	550	500	600	Optimax O-Flim
	PH480272T006-IBF	300	350	400	500	Optimax O-Flim+CTP
	PH480272T006-IBD	500	550	500	600	CMO O-Flim
	PH480272T006-IBF01	300	350	400	500	CMO O-Flim+CTP