



- NOTES:
- 1.LCD TYPE:TFT LCD
 - 2.LCD DISPLAY:Normally Black/TRANSMISSIVE
 - 3.The tolerance unless classified $\pm 0.3\text{mm}$
 - 4.a : $P0.5*49=24.5\pm 0.05$; $W=0.35\pm 0.05$
 5. :Kapton tape; :Component area; :Stiffener(SUS $t=0.2\text{mm}$ to GND); :Aluminum Foil Conductive Adhesive Tape; :EMI Film;
 - 6.FPC suggested connector : FH12A-50S-0.5SH(Hirose) or compatible

007											
006											
005	Modify FPC suggested connector	Clare	2020/5/13								
004	Modify Dimension	Clare	2020/4/8								
003	Add Kapton tape	Clare	2020/3/20								
002	Modify FPC design and LCD A.A	Clare	2019/7/26								
001	NEW DRAWING	Clare	2019/5/13								
REV		REV BY		REVISER	DATE						

PART NO: PH480272T016-ZHA

DRAWING NAME: LMD-PH480272T016-ZHA

TITLE: LCD MODULE DRAWING

久正光電股份有限公司
POWER TIP TECHNOLOGY CORPORATION

Design	Clare Chen	Unit	MM	Surface	
Check	Tina Chen	Scale	FIT	Material	
Approve	Jimmy Chen	Page	1/1	Thickness	
		Quantity			

Tolerance (mm)	Precision Level
1 ~ 4	-
4 ~ 16	-
16 ~ 63	-
63 ~ 250	-
250 ~ 1000	-