


A B C D E F G H



- NOTES:
- 1. LCD TYPE: TFT LCD
  - 2. LCD DISPLAY: Normally Black / TRANSMISSIVE
  - 3. The tolerance unless classified  $\pm 0.3\text{mm}$
  - 4. a :  $P0.5 * 49 = 24.5 \pm 0.05$  ;  $W = 0.35 \pm 0.05$   
 b :  $P0.5 * 5 = 2.5 \pm 0.05$  ;  $W = 0.3 \pm 0.05$
  - 5. : Kapton tape; : Aluminum Foil; : Conductive Adhesive Tape; : EMI Film; : Stiffener (SUS  $\pm 0.2\text{mm}$  to GND)
  - 6. LCM FPC suggested connector : "Hirose" FH12A-50S-0.5SH or compatible.   
 7. T/P FPC suggested connector : "Hirose" FH34SRJ-6S-0.5SH(50) or compatible.

007			
006			
005	Add Dimension & Modify LCM FPC suggested connector	Clare	2020/5/13
004	Modify Dimension	Clare	2020/4/13
003	Add Kapton tape	Clare	2020/3/20
002	Modify FPC design & LCM thickness	Clare	2019/6/20
001	NEW DRAWING	Clare	2019/6/13
REV		REV BY	REVISER
		DATE	DATE


PART NO: PH480272T016-ZHC  
 DRAWING NAME: LMD-PH480272T016-ZHC

Design	Clare Chen
Check	Tina Chen
Approve	Jimmy Chen

久正光电股份有限公司  
**POWER TIP TECHNOLOGY CORPORATION**

Unit	MM	Surface	
Scale	FIT	Material	
Page	1/1	Thickness	
		Quantity	

Precision Level	
1 ~ 4	
4 ~ 16	
16 ~ 63	
63 ~ 250	
250 ~ 1000	



TITLE:	LCD MODULE DRAWING		
--------	--------------------	--	--