



- NOTES:
- LCD TYPE:TFT LCD
 - LCD DISPLAY:Normally Black/TRANSMISSIVE
 - The tolerance unless classified $\pm 0.3\text{mm}$
 - a : $P0.5*49=24.5\pm 0.05$; $W=0.35\pm 0.05$
 - :Kapton tape; :Component area; :Stiffener(SUS $t=0.2\text{mm}$ to GND)
 - :Aluminum Foil Conductive Adhesive Tape; :EMI Film;
 - FPC suggested connector : FH12A-50S-0.5SH(Hirose) or compatible

007				PART NO:	久正光電股份有限公司 POWER TIP TECHNOLOGY CORPORATION																
006				PH480272T016-ZFA																	
005				DRAWING NAME :	Design	Jason		Surface	<table border="1"> <thead> <tr> <th>Tolerance Length (mm)</th> <th>Precision Level</th> </tr> </thead> <tbody> <tr> <td>1 ~ 4</td> <td>-</td> </tr> <tr> <td>4 ~ 16</td> <td>-</td> </tr> <tr> <td>16 ~ 63</td> <td>-</td> </tr> <tr> <td>63 ~ 250</td> <td>-</td> </tr> <tr> <td>250 ~ 1000</td> <td>-</td> </tr> </tbody> </table>	Tolerance Length (mm)	Precision Level	1 ~ 4	-	4 ~ 16	-	16 ~ 63	-	63 ~ 250	-	250 ~ 1000	-
Tolerance Length (mm)	Precision Level																				
1 ~ 4	-																				
4 ~ 16	-																				
16 ~ 63	-																				
63 ~ 250	-																				
250 ~ 1000	-																				
004				LMD-PH480272T016-ZFA	Check	Tina	Unit	MM													
003				TITLE:	Approve	Bright	Scale	FIT													
002				LCD MODULE DRAWING			Thickness														
001	NEW DRAWING	Jason	2023/10/12				Page	1/1													
REV	REV BY	REVISER	DATE				Quantity														